

T12N

R2E



Office of the Monroe County Surveyor
Trohn Enright-Randolph

Health Services Building
119 West 7th Street
Bloomington, IN 47404
Phone: (812) 349-2570

Dear User,


The following images were obtained in 2017 by the Office of the Monroe County Surveyor from the State Imaging and Microfilm Laboratory at the Indiana State Archives. The field notes and plats for Morgan County are stored on microfilm Reel 7534 at the Indiana State Archives. Each page provided by the State Imaging and Microfilm Laboratory is approximately 18MB. Our office combined the pages by Township & Range and reduced the resulting pdfs. This process may have caused some degradation in quality. We will provide unreduced images of specific pages if required. Please contact us at 812-349-2570 or at SurveyorsOffice@co.monroe.in.us to request a higher quality image of any specific page.

The pdfs are bookmarked with the original page numbers as assigned by the State Imaging and Microfilm Laboratory.

Be prepared to provide the county name, reel number, and the required page numbers when requesting full sized images.

If you would like a DVD of an entire county, please provide us with one DVD per county along with a self-addressed, stamped envelope.


Trohn Enright-Randolph
Monroe County Surveyor



Township N. III North, Range N. III East 2nd Mer. Surveyed by B. Bentley 1820.

Description of the Soil on the interior Sectional lines.

Between sections	Quality &c.	Between sections	Quality &c.	Between sections	Quality &c.
35.36	Land level 3 rd water Ash, Beech, Poplar &c.	2.3	Land level 2 nd water. Beech, Ash, Sugar &c.	4.7	Land level 2 nd water. Ash, Beech, Poplar &c.
25.36	Same	33.34	Same	4.5	Bottom land overgrown
25.26	Same	27.34	Same	31.32	Land level 2 nd water. Ash, Beech, Poplar &c.
24.25	Same	27.25	Same. Nothing	29.32	Same
23.24	Land level 2 nd water. Ash, Beech, Poplar &c.	22.27	Land level 2 nd water	30.31	Same. Nothing
13.24	Land level 2 nd water. Timber Same with Sugar	21.22	Same. Nothing. 2 nd water. Timber Same	29.31	Same. Nothing
12.14	Land level 2 nd water. Timber Same	15.22	Same. Nothing	17.31	Same. Nothing
12.13	Same. Nothing	15.16	Same. Nothing	20.29	Same
11.12	Same	10.15	Same. Nothing	17.20	Same
1.12	Same	9.10	Same	18.19	Same
1.2	Same	3.18	Same. level	17.20	Same
34.35	Same	3.4	Same. Nothing	17.18	Same
26.35	Land level 1 st water. Sugar, Ash, Beech, Poplar &c.	32.33	Same. Nothing	8.17	Same
26.27	Land level 2 nd water	28.33	Same. Nothing	7.8	Same. Nothing
24.26	Same. Nothing	26.28	Same. level	6.8	Same
22.25	Land level 2 nd water. Ash, Beech, Poplar &c.	21.28	Same. Nothing	5.8	Same
14.23	Same. 1 st water. Shockberry, Walnut, Beech, & Poplar	20.21	Same. Nothing	5.6	Same
14.15	Land level 2 nd water	16.21	Same		
11.14	Land level 2 nd water	16.17	Same		
10.11	Same level 2 nd water. Beech, Ash, Sugar &c.	9.16	Same. Nothing. 2 nd water. Ash, Beech, Poplar &c.		
2.11	Same	8.9	Same level		



Township N. III North, Range N. III East 2nd Mer. Surveyed by B. Bentley 1820.

Description of the Soil on the interior Sectional lines.

Between Sections	Quality &c.	Between Sections	Quality &c.	Between Sections	Quality &c.
35.36	Sand Shelly 3 rd water - Ash, Beech, Poplar &c.	29.3	Sand Shelly 2 nd water - Beech, Ash, Sugar &c.	4.3	Sand level 2 nd water - Ash, Beech, Poplar &c.
25.26	Same	30.34	Same	4.5	Bottom level 2 nd water
26.27	Same	27.34	Same	31.32	Sand level 2 nd water - Ash, Beech, Poplar &c.
27.28	Same	28.25	Same - Rolling	29.29	Same
28.29	Sand level 2 nd water - Ash, Beech, Poplar &c.	22.27	Sand level 2 nd water	30.31	Same - Rolling
29.30	Sand level 1 st water - Under same with Sugar	21.22	Same - Rolling 2 nd water - Under same	29.30	Same - Rolling
30.31	Sand level 2 nd water - Under same	15.22	Same - Shelly	17.30	Same - Rolling
31.32	Same - Shelly	15.16	Same - Shelly	20.29	Same
11.12	Same	16.15	Same - Rolling	19.29	Same
12.13	Same	17.16	Same	18.17	Same
13.14	Same	18.16	Same - level	17.20	Same
14.15	Same	19.17	Same - Rolling	16.19	Same
15.16	Same	20.18	Same - level	15.18	Same
16.17	Same	21.19	Same - Rolling	14.17	Same
17.18	Same	22.20	Same - Shelly	13.16	Same
18.19	Same	23.21	Same - Rolling	12.15	Same
19.20	Same	24.22	Same - level	11.14	Same
20.21	Same	25.23	Same - Rolling	10.13	Same
21.22	Same	26.24	Same - level	9.12	Same
22.23	Same	27.25	Same - Rolling	8.11	Same
23.24	Same	28.26	Same - level	7.10	Same
24.25	Same	29.27	Same - Rolling	6.9	Same
25.26	Same	30.28	Same - level	5.8	Same
26.27	Same	31.29	Same - Rolling	4.7	Same
27.28	Same	32.30	Same - level	3.6	Same
28.29	Same	33.31	Same - Rolling		
29.30	Same	34.32	Same - level		
30.31	Same	35.33	Same - Rolling		
31.32	Same	36.34	Same - level		

Township N. 12 North, Range N. 2 East 2nd Mer.

Range Line - Var. 6.15'E.

North	Between Ranges 2 nd & 3 rd E. Town 12 North	8.65	A. Beech 18 in. diam.	North	On the East Side of Sec. 13
	On the East Side of Sec. 36	40.00	gr. Sec. corner Beech 8 ft 3 E 18		
17.25	A. Branch 5 lbs S.W.		do 12 ft 81 N 15		
32.50	A. Beech 20 in. diam.	47.60	A. Branch 4 lbs S.W.		
40.00	gr. Sec. corner Beech 18 ft 44 E 24	54.50	A. Beech 12 in. diam.		
	do 15 ft 33 N 33	80.00	Set post corner to Sec. 12 N 13		
52.65	Ash 12 in. diam.		Sugar 15 ft 46 E 3		
65.00	A. Branch 7 lbs S.W.		do 18 ft 48 N 36		
80.00	Set post corner to Sec. 25 N 36		Land Broken, good Beech, Oak, Sugar, 11/2 ft. Spruce & Birches		
	Beech 9 ft 26 N 18	North	On the East Side of Sec. 12		
	Ash 30 ft 37 E 47	1.50	A. Branch 10 lbs S.W.		
	Land first & Broken last & good Beech, Oak, Poplar, 11/2 ft. Spruce, good Soil	14.90	A. Branch 8 lbs S.W.		
North	On the East Side of Sec. 25	31.65	A. Beech 9 in. diam.		
22.38	A. Beech 12 in. diam.	40.00	gr. Sec. corner Hickory 7 ft 51 E 22		
40.00	gr. Sec. corner Beech 10 ft 22 N 12		do 6 ft 24 N 12		
	do 22 ft 1 E 27	45.95	A. Poplar 36 in. diam.		
52.40	A. Beech, Oak 30 in. diam.	80.00	Set post corner of Sec. 1 N 12		
62.50	A. Branch 5 lbs West		Sugar 10 ft 81 N 3		
67.50	A. Beech 30 lbs S.W.		Beech 21 ft 5 E 6		
80.00	Set post corner of Sec. 24 N 25		Land (all) good, Beech, Oak, Ash, Sugar, 11/2 ft. Spruce & Birch		
	Hickory 7 ft 35 N 12	North	On the East Side of Sec. 1		
	Saplings 6 ft 14 E 8	5.60	A. Beech 15 in. diam.		
	Broken land, Beech, Oak, Ash, 11/2 ft. Spruce	40.00	gr. Sec. corner Sugar 14 ft 81 N 34		
North	On the East Side of Sec. 24		do 15 ft 25 E 20		
14.17	Ash 15 in. diam.	44.76	A. Beech 16 in. diam.		
39.25	A. Branch 5 lbs S.W.	48.85	A. Branch 6 lbs S.W.		
40.00	gr. Sec. corner Beech 14 ft 8 N 29	73.90	Set post corner of Town 12 N 13 N 23 E		
	Sugar 7 ft 12 E 24		Sec. 1, h. 31, 36 Beech 10 ft 15 N 26		
78.50	A. Beech 30 lbs S.W.		do 27 ft 51 E 7		
80.00	Set post corner of Sec. 13 N 24		Land level. July 4 th 1817		
	Beech 15 ft 48 N 16		John McDonald D. S.		
	do 27 ft 22 E 28				
	Land same very Broken, Oak, Hickory, Beech, 11/2 ft. Spruce & Green Birches				

West	Township lines var 7.15'E.	West	On the South Side of 32
	Between Townships 11 & 12 North Range 2 E	24.30	A. Branch 6 lbs S.W.
	On the South Side of Sec. 36	34.59	A. Sugar 12 in. diam.
29.50	A. Branch 6 lbs S.W.	40.00	gr. Sec. corner Water, Beech 7 ft 35 N 12
40.00	gr. Sec. corner Beech 6 ft 44 E 13		Beech 15 ft 81 E 11
	do 9 ft 50 N 7	69.40	A. Beech 15 in. diam.
74.50	A. Beech 40 lbs S.W.	80.00	Set post corner of Sec. 32 N 33
80.00	Set post corner of Sec. 35 N 36		Beech 18 ft 80 N 13
	Beech 7 ft 19 N 9		do 20 ft 26 E 26
	do 24 ft 6 N 20		Set post corner of Sec. 32
	Land Broken, Beech, Oak, Sugar, 11/2 ft. Spruce, good Soil	West	On the South Side of Sec. 32
West	On the South Side of Sec. 35	4.40	A. Beech 12 in. diam.
2.40	A. Spruce, Oak 27 in. diam.	7.25	A. Branch 4 lbs S.W.
22.00	A. Branch 6 lbs S.E.	33.90	A. Branch 8 lbs S.W.
40.00	gr. Sec. corner Beech 9 ft 83 E 9	40.00	gr. Sec. corner Beech 6 ft 83 N 8
	do 6 ft 70 N 10		do 7 ft 44 E 24
48.90	A. Branch 5 lbs S.E.	46.10	A. Branch 6 lbs North
51.75	A. Beech 24 in. diam.	74.25	A. Hickory 12 in. diam.
80.00	Set post corner of Sec. 34 N 35	80.00	Set post corner of Sec. 31 N 32
	Beech 9 ft 40 E 19		Beech 18 ft 12 N 18
	Sugar 7 ft 4 N 16		do 21 ft 10 N 21
	Land Broken, last & Not long, good growing land		Land & timber same
	Beech, Ash 8 ft. 11/2 ft. Spruce	West	On the South Side of Sec. 31
West	On the South Side of Sec. 34	20.05	A. Branch 4 lbs S.W.
12.80	A. Branch 6 lbs S.W.	34.50	A. Beech 18 in. diam.
19.10	A. Branch 8 lbs S.W.	40.00	gr. Sec. corner Beech 12 ft 48 N 10
33.40	A. Beech 9 in. diam.		do 20 ft 23 N 25
40.00	gr. Sec. corner Sugar 7 ft 52 N 9	70.00	do Township line
	Beech 6 ft 40 E 8		Broken land, Beech, Ash, Poplar, Sugar
51.00	A. Branch 8 lbs S.W.		11/2 ft. Spruce, Soil good, July 3 rd 1817
64.20	A. Beech 15 in. diam.		Surveyed by John McDonald D. S.
80.00	Set post corner of Sec. 33 N 34		
	Sugar 10 ft 41 E 10		
	Beech 12 ft 62 N 10		
	Broken land good Soil, Beech, Ash, Elm		
	11/2 ft. Spruce		

In the Divisions of T 12 N. R. 2 East		North Between Secs 23 & 24		Aug 19. 1820	
North	Between Secs 35 & 36	11.95	A. Sugar 18 in. diam.		
18.26	A. Beech 17 in. diam.	40.00	gr. Sec. Corner Sugar 10 S 46 E 17		
40.00	gr. Sec. Corner Beech 10 S 88 E 32		Beech 12 S 5 E 21		
	do 5 S 61 N 10	49.25	A. Beech 12 in. diam.		
52.42	A. Beech 30 lbs S. W	73.00	A. Beech 15 lbs S. W		
58.12	A. Beech 15 in. diam.	80.00	Set post corner to Secs 13, 14, 23, 24		
80.00	Set post corner of Secs 25, 26, 35, 36		Sugar 18 South 18		
	Beech 10 S 25 E 18		Beech 5 S 6 N 13		
	do 15 S 32 N 22		Land Rolling V. rater. Ash. Beech. Sugar. 11/2 Spine		
Land Billy 3 rd rater. Ash. Beech. Sugar. 11/2 Spine		East	Between Secs 13 & 24 On Run down		
East	Between Secs 25 & 36 On Run down	28.25	A. Strano 10 lbs S. W		
40.00	Temporary gr. Sec. post	31.50	Same 12 lbs S. W		
80.48	Intersected E. Boundary 1.98 lbs S. of post	40.00	Temporary gr. Sec. post		
Land Billy 3 rd rater. Beech. Oak. 11/2 Spine. Dogwood. 11/2 Spine		81.17	Intersected E. Boundary 1.32 lbs S. of post		
West	Corrected		Land level 1 st rater. Ash. Beech. Sugar. 11/2 Spine		
40.24	gr. Sec. Corner Beech 10 S 61 E 8	West	Corrected		
	do 12 S 70 N 15	40.58	gr. Sec. Corner Beech 20 S 68 E 4		
80.48	Section corner		Buckeye 6 S 66 N 17		
North	Between Secs 25 & 26	47.45	A. Beech 20 in. diam.		
20.26	A. Beech 30 in. diam.	81.17	Section corner		
40.00	gr. Sec. Corner Beech 26 Corner tree	North	Between Secs 13 & 14		
	do 18 S 62 E 20	15.00	A. Beech 18 in. diam.		
	do 24 S 59 N 25	30.50	A. Beech 15 lbs. West		
56.35	A. W. Oak 30 in. diam.	40.00	gr. Sec. Corner Beech 4 S 34 E 38		
80.00	Set post corner to Secs 23, 24, 25, 26		do 8 S 7 E 8		
	Beech 6 S 62 E 9	47.45	A. Beech 20 in. diam.		
	do 15 S 10 N 30	80.00	Set post corner to Secs 11, 12, 13, 14		
Land Timber same			Beech 30 S 60 N 32		
East	Between Secs 24 & 25 On Run down		do 6 S 43 E 28		
40.00	Temporary gr. Sec. post	Land Rolling. V. rater. Timber same			
80.46	Intersected E. Boundary 1.04 lbs S. of post	East	Between Secs 12 & 13 On Run down		
Land same. Beech. Oak. Hickory. Dogwood.		40.00	Temporary gr. Sec. post		
West	Corrected	81.17	Intersected E. Boundary 1.13 lbs S. of post		
40.23	gr. Sec. Corner Beech 5 S 45 N 25		W. 11/2 rater. Beech & 11/2 Spine		
	do 30 S 10 E 27				
80.46	Section corner				

West	Corrected Between Secs 12 & 13	North	Between Secs 26 & 27
40.58	gr. Sec. Corner Beech 15 St 6 W 25 do 12 S 18 E 33	17.20	A. Stream 20 lbs West
81.17	Section Corner	20.25	A. Beech 30 in. diam.
North	Between Secs 11 & 12	40.00	gr. Sec. Corner Sugar 15 St 60 W 28 Beech 20 South 37
8.78	A. Beech 15 in. diam.	49.50	A. Sugar 24 in. diam.
40.00	gr. Sec. Corner Beech 10 St 84 E 15 do 6 St 65 W 25	80.00	Set post corner of Secs 22, 23, 26, 27 Beech 10 South 10 Sugar 10 St 76 W 12
59.90	A. Beech 12 in. diam.		
80.00	Set post corner to Secs 1, 2, 11, 12 Beech 6 S 67 W 10 do 24 S 71 E 40	East	Between Secs 23 & 26 On Random
	Summit Hill 2 nd water, Ash, Beech, Poplar, Mug, Spice	40.00	Temporary gr. Sec. post
North	Between Secs 34 & 35 Aug. 21 st 1820	79.75	Intersected Boundary 94 lbs South of post Summit Hill 3 rd water, Beech, Ash, Mug, Spice
27.30	A. Beech 30 in. diam.	West	Corrected
40.00	gr. Sec. Corner Beech 18 St 14 W 21 do 10 S 76 E 19	39.87	gr. Sec. Corner Beech 10 S 46 E 23 do 12 St 35 W 17
53.04	A. Beech 20 in. diam.	79.75	Section Corner
80.00	Set post corner to Secs 26, 27, 34, 35 Sugar 12 St 8 W 33 Beech 10 S 8 E 13	North	Between Secs 22 & 23
	Summit Hill 2 nd water, Ash, Beech, Sugar, Mug, Spice	14.45	A. Beech 30 in. diam.
East	Between Secs 26 & 35 On Random	40.00	gr. Sec. Corner Beech 8 St 29 E 19 do 10 S 71 W 14
28.00	A. Stream 25 lbs St. W	56.35	A. Beech 24 in. diam.
40.00	Temporary gr. Sec. post	57.75	A. Stream 15 lbs West
41.00	A. Stream 25 lbs S. W	80.00	Set post corner of Secs 14, 15, 22, 23 Beech 7 S 57 E 33 do 10 St 34 W 28
61.50	A. Stream 20 lbs St. W		
77.63	Intersected Boundary 1.11 lbs South of post Summit Hill 1 st water, Beech, Ash, Sugar, Mug, Spice	East	Between Secs 14 & 23 On Random
West	Corrected	40.00	Temporary gr. Sec. post
39.81	gr. Sec. corner Beech 20 St 12 E 20 do 20 St 14 W 26	59.75	A. Stream 20 lbs S. W
77.63	Section Corner	79.50	Intersected Boundary 80 lbs South of post Summit Hill 1 st water, Poplar, Ash, Hackberry, B. Walnut, Mug, Spice

West	Corrected Between Sec ^s 14 & 23	East	Between Sec ^s 18 & 22 on Random
39.75	gr. Sec. corner Sugar 6 St 49 E 6 Beech 30 St 69 N 19	40.00	Temporary gr. Sec. post
49.50	Set section corner	81.50	Intersected E. Boundary 173 lks South of post Sand Hilly 2 nd enter Ash. Beech 8 th Aug. 23 rd 1820
North	Between Sec ^s 14 & 15	West	Corrected 1872
19.25	A. Beech 12 in. diam ^t	40.75	gr. Sec. corner Beech 8 St 52 N 19 do 4 St 52 E 25
40.00	gr. Sec. corner Sugar 15 St 35 E 6 Beech 6 St 36 N 22	81.50	Section corner
68.60	A. Beech 36 in. diam ^t	North	Between Sec ^s 18 & 22
80.00	Set post corner to Sec ^s 10, 11, 14, 15 N. Oak 15 St 41 E 8 Beech 10 St 47 N 16	40.00	gr. Sec. corner Beech 10 St 37 N 14 do 20 St 10 E 27
	Sand Rolling 2 nd enter Ash. Beech 8 th Aug. 23 rd 1820	58.08	A. Sugar 10 in. diam ^t
East	Between Sec ^s 11 & 14 on Random Aug. 22, 1820	55.13	Intersected St. Boundary 7.75 lks N. of post
40.00	Temporary gr. Sec. post	75.13	Beech 40 St 40 E 10 do 20 St 65 N 32
49.46	Intersected Boundary 54 lks South of post Sand Hilly 3 rd enter Beech. Ash. Aug. 23 rd 1820		Sand & timber same with Sugar
West	Corrected	West	Corrected Between Sec ^s 28 & 11
39.73	gr. Sec. corner Beech 12 St 49 N 17 do 7 St 55 E 10	39.50	gr. Sec. corner Beech 12 St 41 N 15 do 6 St 35 E 33
49.46	Section corner	49.00	Section corner
North	Between Sec ^s 10 & 11	North	Between Sec ^s 28 & 3
16.30	A. Sugar 18 in. diam ^t	18.70	Sh. Ash 10 in. diam ^t
40.00	gr. Sec. corner Beech 6 St 40 E 3 do 18 St 41 N 33	40.00	gr. Sec. corner Beech 20 St 5 E 22 do 12 St 41 N 10
61.80	A. Beech 15 in. diam ^t	55.30	A. Beech 20 in. diam ^t
80.00	Set post corner to Sec ^s 2, 3, 10, 11 Beech 18 St 19 E 16 Sugar 10 St 14 N 14	71.00	A. Pecan 15 lks West
	Sand level 2 nd enter Ash. Beech. Sugar Aug. 23 rd 1820	74.86	Intersected St. Boundary 7.50 lks N. of post Ash 28 St 80 N 6 do 13 St 45 E 25
East	Between Sec ^s 28 & 11 on Random		Hilly 2 nd enter Ash. Beech. Sugar Aug. 23 rd 1820
40.00	Temporary gr. Sec. post	North	Between Sec ^s 33 & 34 Aug. 23 rd 1820
49.00	Intersected Boundary 50 lks South of post Sand Hilly 2 nd enter Ash. Beech. Aug. 23 rd 1820	16.40	A. Beech 30 in. diam ^t
		40.00	gr. Sec. corner Beech 6 St 52 N 11 do 6 St 47 E 7
		52.85	A. Beech 30 in. diam ^t

80.00	Set post corner to Sec ^s 27, 28, 33, 34 Beech 5 St 40 E 10 do 4 St 40 N 15	66.04	A. Beech 24 in. diam ^t
	Sand Rolling 2 nd enter Beech. Sugar Aug. 23 rd 1820	80.00	Set post corner to Sec ^s 15, 16, 21, 22 Beech 7 St 54 E 21 do 24 St 38 N 34
East	Between Sec ^s 27 & 34 on Random		Sand Rolling 2 nd enter Ash. Beech 8 th Aug. 23 rd 1820
40.00	Temporary gr. Sec. post	East	Between Sec ^s 15 & 22 on Random
49.40	Intersected Boundary 100 lks South of post Sand Hilly 2 nd enter Ash. Beech 8 th Aug. 23 rd 1820	40.00	Temporary gr. Sec. post
West	Corrected	49.00	Intersected boundary 44 lks South of post Hilly 2 nd enter Ash. Beech 8 th Aug. 23 rd 1820
39.70	gr. Sec. corner Sugar 6 St 45 E 17 Beech 20 St 45 N 39	West	Corrected
49.40	Section corner	39.50	gr. Sec. corner Beech 20 St 42 N 9 Water Beech 3 St 48 E 18
North	Between Sec ^s 27 & 28	49.00	Section corner
24.14	Sh. Ash 30 in. diam ^t	North	Between Sec ^s 15 & 16
38.50	A. Beech 30 lks St. N	17.80	A. Beech 18 in. diam ^t
40.00	gr. Sec. corner Sugar 15 St 45 E 10 Sugar 15 St 45 E 10	40.00	gr. Sec. corner Beech 20 St 45 E 13 do 6 St 47 N 20
43.40	A. Buckeye 30 in. diam ^t	54.06	A. Beech 10 in. diam ^t
80.00	Set post corner to Sec ^s 21, 22, 27, 28 Beech 18 St 17 E 20 do 10 St 30 E 19	80.00	Set post corner to Sec ^s 9, 10, 15, 16 Beech 10 St 40 N 9 do 12 St 43 E 48
	Sand Rolling 2 nd enter Ash. Sugar. Beech Aug. 23 rd 1820		Sand level 2 nd enter Beech. Ash. Sugar. Aug. 23 rd 1820
East	Between Sec ^s 22 & 27 on Random	East	Between Sec ^s 10 & 15 on Random
40.00	Temporary gr. Sec. post	40.00	Temporary gr. Sec. post
49.40	Intersected Boundary 93 lks South of post Sand level 2 nd enter Ash. Beech. Dogwood	49.10	Intersected Boundary 40 lks South of post Sand Rolling 2 nd enter Beech. Ash. Aug. 23 rd 1820
West	Corrected	West	Corrected
39.70	gr. Sec. corner Beech 6 St 45 E 10 do 10 St 40 N 14	39.55	gr. Sec. corner N. Oak 7 St 2 N 11 Sugar 8 St 25 E 15
49.40	Section corner	49.10	Section corner
North	Between Sections 21 & 22	North	Between Sections 9 & 10
15.15	A. Beech 30 in. diam ^t	30.35	Sh. Ash 36 in. diam ^t
40.00	gr. Sec. corner Beech 10 St 62 N 7 do 12 St 20 E 22	40.00	gr. Sec. corner Dogwood 6 St 4 E 20 Hickory 2 St 4 N 11
53.50	A. Beech 20 lks St. N	50.50	A. Spring Branch 3 lks St. N

52.34 A. Beech 24 in. diam.
 57.25 A. Spring Branch 4 lbs West
 65.50 A. Spring Branch 5 lbs S.W.
 80.00 Set post corner to Sec. 3, 4, 9, 10
 Beech 20 S 32 W 5
 do 20 S 29 W 24
 Sand Rolling 2nd rate. Ash. Beech. Sugar. Aug. 1st Spice
 East Between Sec. 3 & 10 On Branch
 40.00 Temporary of Sec. post
 77.20 Intersected Boundary 3 1/2 lbs South of post
 Sand Rolling 2nd rate. Ash. Beech. Sugar. Aug. 1st Spice
 West Corrected
 37.60 of Sec. corner Ash 40 S 40 E 14
 Sugar 10 S 63 W 24
 77.20 Section corner
 North Between Sec. 3 & 4
 15.50 A. Beech 24 in. diam.
 40.00 of Sec. corner Beech 26 S 58 E 14
 do 24 S 54 W 31
 47.40 A. Beech 12 in. diam.
 73.62 Intersected St. Boundary 600 lbs N of post
 Sugar 30 S 60 W 7
 Hickory 12 East 30
 Sand Rolling 2nd rate. Ash. Beech. Sugar. Aug. 1st Spice
 North Between Sec. 32 & 33
 20.47 A. Beech 18 in. diam.
 40.00 of Sec. corner Beech 24 S 64 E 14
 Sugar 10 S 64 W 25
 46.15 A. Sugar 12 in. diam.
 80.00 Set post corner to Sec. 28, 29, 32, 33
 Beech 8 S 24 E 10
 do 4 S 49 W 14
 Sand Hilby 2nd rate. Beech. Ash.
 Poplar 1st

East Between Sec. 28 & 33 On Branch
 40.00 Temporary of Sec. post
 80.10 Intersected Boundary 1 1/2 lbs South of post
 Sand Rolling 2nd rate. Ash. Beech. Poplar.
 Aug. 1st Spice Aug. 1st 25th 1820
 West Corrected
 40.05 of Sec. corner Beech 4 S 24 W 6
 Sugar 6 S 19 E 11
 80.10 Section corner
 North Between Sec. 28 & 29
 18.46 A. Sugar 10 in. diam.
 19.00 A. Branch 6 lbs N. E
 26.00 A. Branch 10 lbs N. W
 30.00 A. Branch 10 lbs N. E
 40.00 of Sec. corner Beech 4 S 54 E 22
 do 31 S 30 W 4
 52.25 A. Spring Branch 10 lbs N. W
 57.50 Same 10 lbs N. E
 59.50 Same 15 lbs N. W
 60.00 A. Sycamore 40 in. diam.
 80.00 Set post corner to Sec. 20, 21, 28, 29
 Beech 15 East 11
 do 20 S 54 W 23
 Sand level 2nd rate. Ash. Beech. Sugar. Aug. 1st Spice
 East Between Sec. 21 & 28 On Branch
 40.00 Temporary of Sec. post
 47.40 A. Beech 25 lbs N. W
 80.19 Intersected Boundary 1.6 lbs South of post
 Rolling 2nd rate. Beech. Ash. Sugar. Aug. 1st Spice
 West Corrected
 40.09 of Sec. corner Beech 4 S 40 E 6
 do 4 S 76 W 26
 80.19 Section corner

North Between Sec. 20 & 21
 17.56 A. Sugar 24 in. diam.
 40.00 of Sec. corner Sugar 10 S 53 E 18
 Beech 3 S 80 W 23
 68.25 A. Beech 20 in. diam.
 80.00 Set post corner of Sec. 16, 17, 20, 21
 Sugar 6 S 53 E 27
 Beech 6 S 65 W 17
 Sand Rolling 2nd rate. Ash. Beech. Sugar. Aug. 1st Spice
 East Between Sec. 16 & 21 On Branch
 8.50 A. Beech 25 lbs N. W
 40.00 Temporary of Sec. post
 77.75 Intersected Boundary 1 1/2 lbs South of post
 Sand Hilby 2nd rate. Beech. Ash. 1st Aug. 1st Spice
 West Corrected
 39.87 of Sec. corner Beech 26 S 20 E 29
 Ash 30 S 26 W 14
 77.75 Section corner
 North Between Sec. 16 & 17
 00.75 A. Spring Branch 5 lbs N. E
 16.50 A. Walnut 24 in. diam.
 40.00 of Sec. corner Elm 30 S 55 W 27
 do 4 S 13 W 7
 44.30 A. Beech 30 lbs N. W
 63.59 A. Walnut 18 in. diam.
 80.00 Set post corner to Sec. 8, 9, 16, 17
 Elm 8 S 60 E 22
 do 7 S 53 W 37
 Sand level 1st rate. Ash. Beech. Sugar. B. Walnut
 Sycamore - Aug. 1st Spice
 East Between Sec. 9 & 16 On Branch
 2.00 A. Beech 35 lbs North
 40.00 Temporary of Sec. post
 80.00 Intersected Boundary 1.84 lbs South of post
 Sand Rolling 2nd rate. Ash. Beech. Poplar.
 Aug. 1st Spice

West Corrected Between Sec. 9 & 16
 40.00 of Sec. corner Beech 12 S 70 E 13
 Sugar 18 S 65 W 34
 80.00 Section corner
 North Between Sec. 8 & 9
 12.75 A. Spring Branch 4 lbs East
 23.75 A. Beech 75 lbs N. W
 24.75 A. Sycamore 36 in. diam.
 40.00 of Sec. corner Buckeye 6 S 74 E 20
 Sycamore 48 S 60 W 21
 59.08 A. B. Walnut 36 in. diam.
 80.00 Set post corner to Sec. 4, 5, 8, 9
 Hickory 6 S 45 W 15
 B. Walnut 5 S 20 E 13
 Sand level 1st 2nd rate. Ash. Beech. Hickory
 B. Walnut 1st Aug. 1st Spice
 East Between 4 & 9 On Branch
 40.00 Temporary of Sec. post
 77.32 Intersected Boundary 1 1/2 lbs South of post
 Sand & Timber same
 West Corrected
 39.66 of Sec. corner Beech 10 S 50 E 11
 do 20 S 23 W 21
 77.32 Section corner
 North Between Sec. 4 & 5
 15.88 A. Sugar 15 in. diam.
 40.00 of Sec. corner Buckeye 12 S 80 W 37
 Sycamore 36 S 80 E 25
 64.24 A. Buckeye 12 in. diam.
 74.70 Intersected St. Boundary 460 lbs West of post
 Ash 10 S 70 E 9
 Buckeye 15 North 17
 Sand level 2nd rate. post over flooded by
 White River. Ash. Walnut. Sugar. Beech. Sycamore
 Aug. 1st Spice

North Between Sec ^s 31 & 32	West Between Sec ^s 19 & 30
13.30 A. Beech 28 in. diam ^t .	23.20 A. Sugar 20 in. diam ^t .
40.00 gr. Sec. corner Sugar 15 St 3 E 10 Beech 15 St 8 N 7	40.00 gr. Sec. corner Beech 12 St 2 E 28 do 10 St 10 N 23
65.54 A. Beech 26 in. diam ^t .	56.38 A. Beech 18 in. diam ^t .
80.00 Set post corner to Sec ^s 29, 30, 31, 32 Beech 6 St 66 E 14 do 5 St 1 N 18	67.50 Intersected N. Boundary 85 lbs St. of post Beech 20 St 65 E 13 do 30 St 65 N 12
Land Sec. 6 D. water, Ash, Beech, Sugar, Poplar, Spruce	Land Rolling D. water, Ash, Beech, Sugar, long Spruce
East Between Sec ^s 29 & 32 On Brandon	East Between Sec ^s 20 & 29 On Brandon
40.00 Temporary gr. Sec. post	27.05 A. Spring Branch 6 lbs North
65.50 A. Branch 8 lbs St. E	40.00 Temporary gr. Sec. post
77.36 Intersected Boundary 1.22 lbs South of post Land & timber same	53.30 A. Spruce 15 lbs St. W
West Corrected	77.83 Intersected Boundary 60 lbs South of post Land & timber same
39.68 gr. Sec. corner Beech 6 St 82 E 5 do 6 St 74 N 4	West Corrected
77.36 Section corner	39.71 gr. Sec. corner Beech 4 St 31 N 18 do 6 St 83 E 26
West Between Sec ^s 30 & 31	77.83 Section corner
16.14 A. Sugar 10 in. diam ^t .	North Between Sec ^s 19 & 20
40.00 gr. Sec. corner Beech 6 St 35 N 20 Sugar 8 St 32 E 7	18.32 A. Beech 30 in. diam ^t .
54.75 A. Beech 4 in. diam ^t .	23.00 A. Branch 10 lbs West
58.00 Intersected N. Boundary 100 lbs North of post Elin 30 St 24 N 30 Sup. Ash 26 St 33 E 31	40.00 gr. Sec. corner Beech 6 St 46 E 11 do 7 St 55 N 10
Land Rolling D. water, Ash, Beech, Sugar, long Spruce	61.31 A. Beech 10 in. diam ^t .
North Between Sec ^s 29 & 30	80.00 Set post corner to Sec ^s 17, 18, 19, 20 Beech 10 St 44 N 12 do 24 St 61 E 20
24.45 A. Hickory 11 in. diam ^t .	Land & timber same
40.00 gr. Sec. corner Sugar 15 St 80 E 18 do 18 St 56 N 15	West Between Sec ^s 18 & 19
56.40 A. Sugar 12 in. diam ^t .	34.22 A. Sugar 26 in. diam ^t .
80.00 Set post corner of Sec ^s 17, 20, 29, 30 Beech 6 St 42 N 4 do 40 St 60 E 16	40.00 gr. Sec. corner Beech 30 St 7 N 26 Sugar 7 St 45 E 30
Land D. water, Ash, Beech, Sugar, long Spruce	52.60 A. Spruce 15 lbs St. W

55.00 Ash Elin 30 in. diam ^t .	West Between Sec ^s 7 & 18
67.77 Intersected N. Boundary 55 lbs St. of post Sugar 18 South 5 Beech 6 St 50 N 13	18.03 A. Buckeye 8 in. diam ^t .
Land Rolling D. water, Ash, Sugar, Beech, long Spruce	40.00 gr. Sec. corner Ash 10 St 60 E 18 Beech 24 St 30 N 33
East Between Sec ^s 17 & 20 On Brandon	48.80 Ash 18 in. diam ^t .
40.00 Temporary gr. Sec. post	68.32 Intersected N. Boundary 47 lbs South of post Beech 20 St 63 N 19 Os. Walnut 6 St 41 E 28
50.75 A. Spring Branch 4 lbs St. E	Land Sec. 1 st water, Beech, Sugar, Hackberry, long Spruce
58.75 Same 4 lbs St. E	North Between Sec ^s 7 & 18
65.00 Same 4 lbs North	25.70 A. Buckeye 10 in. diam ^t .
77.50 Intersected Boundary 1.14 lbs South of post Land & timber same with Poplar	40.00 gr. Sec. corner Buckeye 10 East 14 do 7 St 5 N 28
West Corrected	64.74 A. Hackberry 15 in. diam ^t .
39.75 gr. Sec. corner Beech 10 St 63 E 16 do 12 St 41 N 14	80.00 Set post corner to Sec ^s 5, 6, 7, 8 Hackberry 10 St 50 E 31 Sycamore 15 St 7 N 32
77.50 Section corner	Land & timber same
North Between Sec ^s 17 & 18	West Between Sec ^s 6 & 7
23.00 Ash Elin 24 in. diam ^t .	6.75 White River 3 chains 48 lbs wide South Water, Willows 6 St 6 E 8
40.00 gr. Sec. corner Dogwood 5 St 45 E 14 Beech 3 St 30 N 13	10.23 Island. Sycamore 24 St 35 E 17
41.75 A. Spring Branch 3 lbs West	16.15 White River 120 lbs wide S. W.
58.25 A. Ash Elin 18 in. diam ^t .	17.35 Set post, from which { Elin 18 lbs N. 20 lbs.
80.00 Set post corner to Sec ^s 7, 8, 17, 18 Dogwood 6 St 7 E 28 Beech 6 St 31 N 12	21.28 A. Maple 7 in. diam ^t . Hackberry 6 St 57 N 20.
Land Rolling D. water, Beech, Ash, Sugar, long Spruce	40.00 gr. Sec. corner Ash 10 St 34 E 21 Mulberry 12 St 2 N 18
East Between Sec ^s 8 & 17 On Brandon	50.50 A. Mulberry 10 in. diam ^t .
40.00 Temporary gr. Sec. post	64.16 Intersected N. Boundary 7.26 lbs St. of post Hackberry 6 St 46 N 14 Buckeye 6 St 4 E 14
43.60 A. Spring Branch 3 lbs North	Land 1 st water, Ash, Beech, Sugar, Hackberry, Spruce
72.50 A. Beech 30 lbs St. E	East Between Sec ^s 5 & 8 On Brandon
77.50 Intersected Boundary 1.05 lbs South of post Land Rolling D. water, Ash, Beech, long Spruce	4.75 White River 2 Ch 150 lbs St. W
West Corrected	40.00 Temporary gr. Sec. post
39.75 gr. Sec. corner Hickory 8 St 50 N 15 Dogwood 6 St 47 E 21	51.75 A. Beech 70 lbs North
77.50 Section corner	

80.15	Intersected Boundary 81 lks South of post	South	3.50 line bet. 50 & 8.	N. 30 E	3.00 line bet. 6. & 7. upper end of lake.
	Land level 1 st water. Oak. Beech. Sugar. Hackberry.	South	14.00 line bet. 8. & 9.	N. 45 E	5.00
West	Corrected Between Sec 4 & 8	S. 52 W	4.50	N. 60 E	1.50
		N. 82 W	5.00	N. 70 E	2.50
40.07	gr. Sec. corner Maple 18 ft 5 E 31	N. 60 W	4.50	N. 25 E	5.00
	do 15 S 28 W 14	N. 30 W	5.00	N. 10 E	2.22 line bet. 50 & 6.
51.50	White River. Let post bottomwood 6 ft 15 W 4	N. 10 W	3.50	S. 10 E	3.50 line bet. 5. & 6.
	do 4 S 34 E 6	North	2.65 line bet. 50 & 8.	S. 15 W	5.50
56.55	Let post Walnut 4 ft 11 W 22	North	8.50 line bet. 5. & 6.	S. 30 E	7.50
	Southwood 3 ft 52 E 8	N. 55 W	7.00	S. 50 E	5.50
		N. 80 W	1.90 line bet. 50 & 6.	S. 80 E	8.50
71.70	White River Maple 8 ft 3 E 17	S. 75 W	5.00 line bet. 6. & 7.	N. 65 E	6.50
	do 5 S 25 E 10	S. 40 W	4.50 an island.	N. 25 E	7.50
75.40	Let post Oak. Birch 6 ft 42 W 30	S. 85 W	5.50	N. 10 W	4.00
	Elm 10 ft 12 W 9	S. 47 W	5.00	N. 15 E	2.00
80.15	Section corner	South	2.42 line bet. 60 & 7.	N. 60 W	2.13 line bet. 50 & 8.
North	Between Sec 4 & 6	S. 70 W	1.50 line bet. 7. & 8.	N. 20 E	2.50 line bet. 50 & 8.
6.50	White River 3 Chams West	West	4.00 line bet. 60 & 7.	N. 50 E	5.00
	Let post bottomwood 10 ft 60 E 50	N. 80 W	5.50	S. 85 E	4.50
	do 3 West 48	S. 80 W	5.00	S. 16 E	5.00
10.50	Let post Buckeye 2 ft 70 W 19	S. 60 W	11.50	S. 78 E	7.00
	Oak 5 ft 35 E 33	S. 50 W	7.50	N. 85 E	2.40 a c. 83 ft 10 mile. Sept. 22, 1820 an island.
28.45	A. Hackberry 12 in. diam.	S. 35 W	4.00	N. 72 E	7.00
40.00	gr. Sec. corner Beech 20 ft 30 E 15	S. 20 W	5.00	N. 45 E	12.50 upper end of lake.
	Dickory 18 ft 7 W 20	S. 10 E	4.50	N. 20 E	7.00
45.50	A. Spring	S. 50 W	2.50	North	3.50 an island.
54.35	Mr. Pike 24 in. diam.	S. 70 W	4.50	North	15.50 upper end of lake.
73.81	Intersected N. Boundary 23 lks N. of post	N. 60 W	5.50	North	29.50
	Beech 30 ft 10 E 28	N. 40 W	3.50	N. 30 W	13.00
	Oak 7 ft 39 W 40	N. 10 E	10.50	N. 48 W	7.74
	Land & timber same	N. 14 W	4.50	N. 50 W	1.50
	Surveyed by D. Bentley D. S.	N. 41 W	3.24 to N. boundary Sept. 21, 1820.	North	2.00
			Left Bank, from N. boundary, then up stream.	N. 17 E	3.88 N. Boundary. B. Bentley D. S.
			up stream.		
5.19 W	3.50 line bet. 5 & 6	S. 51 E	7.50 line bet. 7. & 8.		
5.10 E	6.50	S. 80 E	4.50		
5.05 E	11.00	N. 60 E	11.00		
5.26 E	9.00	N. 15 E	5.50		
5.12 W	11.00	N. 13 W	16.50		
5.30 W	3.00	N. 25 E	3.50		
5.10 W	11.00	N. 45 E	9.50		
		N. 59 E	9.00		
		N. 80 E	2.00		
		S. 70 E	2.50 an island.		
		S. 25 E	4.34		
		S. 10 E	8.00		
		S. 53 E	7.00		
		E	5.50		
		N. 45 E	8.00		
		N. 5 E	4.50		
		N. 20 W	7.00		
		N. 5 E	4.00 line bet. 60 & 7.		

Township N. 13 north, Range N. 2 East 2nd Mer.

Range Line - Var. 5. 15' E.		40.00	gr. Sec. corner	Sycamore 40 ft 8 W 10
North	Between Ranges 283 & 284			Beech 20 ft 65 E 10
	On the East Side of Sec. 36	62.90	A. Sugar 15 in. diam.	
6.65	A. Beech 24 in. diam.	80.00	Let post corner of Sec. 12	13
8.50	A. Branch 4 lks N. E			Sugar 15 ft 38 E 32
40.00	gr. Sec. corner Beech 36 ft 28 W 27			do 6 ft 20 W 4
	do 21 S 22 E 5			Land Rolling Beech. Sugar. Walnut. Ang. Spice
46.35	A. Beech 20 in. diam.	North	On the East Side of Sec. 12	
61.00	A. Branch 6 lks S. W	20.40	A. W. Oak 36 in. diam.	
67.54	A. Branch 15 lks S. W	40.00	gr. Sec. corner	Buckeye 12 ft 45 E 13
80.00	Let post corner of Sec. 25			Dickory 7 ft 26 W 9
	Beech 7 ft 51 E 7	52.35	A. Hackberry 21 in. diam.	
	do 8 ft 41 W 16	80.00	Let post corner of Sec. 1	12
	Gently Rolling Beech. Sugar. Oak. Poplar. Ang. Spice			Hackberry 20 ft 83 W 43
North	On the East Side of Sec. 25			Burr Oak 20 ft 65 E 35
17.00	A. W. Oak 24 in. diam.			Level Bottom Land. Oak. Hackberry. Walnut.
40.00	gr. Sec. corner Beech 24 ft 9 E 22			Buckeye. Ang. Spice. Birch. Maple.
	do 18 ft 27 E 12	North	On the East Side of Sec. 1	
38.50	A. Beech 15 in. diam.	14.18	West 1/2 of White River. Let post Sycamore 30 ft 36 E 12	
80.00	Let post corner of Sec. 2			do 12 ft 36 W 12
	Beech 18 ft 24 W 22	17.34	Let post on the North Side of Little River	
	do 24 ft 15 E 28			Sycamore 6 ft 83 E 8
	Land & timber same. great Soil with Poplar			do 6 ft 47 W 15
North	On the East Side of Sec. 24	28.30	A. Dickory 24 in. diam.	
23.05	Mr. Pike 12 in. diam.	40.00	gr. Sec. corner	Hackberry 18 ft 7 W 20
40.00	gr. Sec. corner Oak. Oak 24 ft 29 W 6			Buckeye 15 ft 55 E 10
	Sugar 8 ft 30 E 22	47.12	Let post for corner of Town 13	14 ft 10 E 23
56.30	A. Dickory 20 in. diam.			East Sec. 1. 6. 31. 36 Elm 12 ft 31 E 25
80.00	Let post corner of Sec. 13			Hackberry 12 ft 44 E 41
	Beech 24 ft 43 W 12			Land level
	do 10 ft 39 E 47			Surveyed by John McDonald 1825
	Rolling Beech. Sugar. Cherry. Walnut. Spice			
North	On the East Side of Sec. 13			
23.20	A. Sugar 15 in. diam.			
27.00	A. Branch 8 lks S. W			